



Medical certificate for trainees in the health service at the „Klinikum der Universität München“

➔ Deployment in the department of:

For distribution to the general practitioner and for submission to the company physician department before the internship begins.

This document should be handed out at least 8 weeks before the internship begins. He/she must as soon as possible (at least 6 weeks before) go to the general practitioner to guarantee an sufficient vaccination.

This is to certify that, born is in physical and mental health and free of infectious diseases. From a medical perspective there are no concerns about the internship at the “Klinikum der Universität München”.

Vaccination status:

Hepatitis B (necessary for each internship)

- At least two vaccinations took place. The second vaccination took place on (not later than two weeks before the internship).
- Serological detection exists (anti-HBs > 100 U / l or state after expired or asymptomatic hepatitis B).

Hepatitis A (for internship in pediatrics, psychiatry / geriatrics)

- At least one vaccination took place. Vaccination took place on
- Serological detection is given.

Measles / mumps / rubella

- At least two vaccinations took place or
- serological detection of mumps, measles and rubella are given.

Chickenpox

- At least two vaccinations took place or
- serological detection is given or
- the chickenpox is certainly, medically diagnosed during anamnesis.

Whooping cough

- Vaccination took place or
- an experienced pertussis infection is existent.

Tetanus / diphtheria / polio

- Vaccination is sufficient.

(Last tetanus shot: _____)

place / datum / signature / stamp